


DOOR REF.
No OFF AS SHOWN


SECTIONAL ELEVATION



PLAN

NOTES

- 1) 1.2mm GALV. STEEL LATHS
- 2) ELECTRICAL EQUIPMENT SUITABLE FOR 415 VOLT 3 Ph & NEUTRAL, 50 Hz SUPPLY. MAINTAINED SUPPLY BY OTHERS.
- 3) SHUTTER TO HAVE FACILITY FOR LINKING TO FIRE DETECTION SYSTEM.
- 4) CLADDING IS NOT PART OF SHUTTER CONTRACT. AND IS TO BE FORMED TO ACCOMMODATE EQUIPMENT & MADE REMOVEABLE FOR ACCESS TO SHUTTER WHERE SHOWN OR NOTED BY OTHERS.
- 5) IT IS THE CLIENTS RESPONSIBILITY TO ENSURE THE STRUCTURE IS CAPABLE OF ACCEPTING THE FIXINGS SHOWN AND SUPPORTING THE DOOR / PRODUCT WEIGHT WHILST AT REST AND DURING OPERATION. APPROX. DOOR WEIGHT = _____ kg.



Bolton Gate Co. Limited
Waterloo Street
Bolton. BL1 2SP
Telephone: 01204 871000
Facsimile: 01204 871049

TITLE	ARRANGEMENT OF ESCALATOR SHUTTER	C		F	DRAWN:	WORKS ORDER No
		B		E	DATE:	
SITE		A		D	CHECKED:	DRAWING NUMBER
		DATE	REVISION	REF	SCALE:	