


- NOTES**
- STRUCTURAL**  
IT IS THE CLIENTS RESPONSIBILITY TO ENSURE THAT THE STRUCTURE IS CAPABLE OF ACCEPTING THE FIXINGS SHOWN AND SUPPORTING THE DOOR/PRODUCT WEIGHT WHILST AT REST AND DURING OPERATION  
APPROX DOOR WEIGHT = \_\_\_\_\_ Kg.
  - BUILDERS WORK**  
CLIENT TO PROVIDE 250 WIDE x 100 DEEP CHASE IN FLOOR FOR BOTTOM TRACK & MAKE GOOD AFTER INSTALLATION
  - ELECTRICAL SUPPLY**  
415V 3PH + NEUTRAL 50HZ 10A SUPPLY - CLIENT TO PROVIDE A LOCKABLE ISOLATOR WITHIN 1 METRE OF THE MOTOR POSITION
  - LOCKING**  
ELEC. INTERLOCKED DEADLOCK C/W 2 KEYS
  - FINISH**  
STANDARD GALVANIZED



<p>Bolton Gate Co. Limited Waterloo Street Bolton. BL1 2SP Telephone: 01204 871000 Facsimile: 01204 871049</p>	TITLE			C		F	DRAWN:	WORKS ORDER No
	SITE			B		E	DATE:	
				A		D	CHECKED:	DRAWING NUMBER
	DATE	REVISION	REF	DATE	REVISION	REF	SCALE:	1:15